

MTD Electronics d.o.o.
 Resljeva 40, 1000 - Ljubljana
 Tel: 01/430 12 70, 430 12 75
 Telefax: 01/232 06 70
 El. pošta: mtd@siol.net
 Splet. str: www.mtd-el.si

Cenik - AJA VIDEO SYSTEMS

Desktop solutions

Cena v € brez DDV

PCIe cards for Mac Pro		
KONA 3G	2K/3G/ Dual-Link HD / HD / SD 10-bit PCIe Card, HDMI 1.4a output	1.780,00
KONA LHi	HD / SD 10-bit Digital and 12-bit Analog PCIe Card, HDMI input and output	1.333,00
KONA LHe Plus	HD / SD 10-bit Digital and 12-bit Analog PCIe Card (higher performance than original Lhe)	887,00

Io Thunderbolt interfaces (Mac-only)

Io XT	10-bit 3G/Dual-Link/HD/SD I/O via Thunderbolt, with 2nd Thunderbolt port for peripherals (Thunderbolt cables not included)	1.333,00
-------	--	----------

Io Express interfaces for Mac and PC (cross-platform)

Io Express - PCIe	HD / SD I/O for file-based workflows, with PCIe card adapter, AC adapter	887,00
Io Express - Exp34	HD / SD I/O for file-based workflows, with ExpressCard/34 adapter, AC adapter	887,00

Io interfaces for MacBook Pro and Mac Pro

Io HD	10-bit realtime HD / SD editing via FireWire 800, via Apple ProRes in hardware	3.116,00
-------	--	----------

Corvid OEM cards (for DirectShow developers and AJA SDK-based OEM applications)

Corvid-22	4-lane Pcle card with 2-in/2-out SD/HD/3G SDI, 2xLTC, Genlock, 2xRS-422, 2xMixer/Keyer	1.244,00
Corvid	4-lane Pcle card with HD/SD SDI I/O, Genlock/LTC, 16-ch embedded audio, RS-422	530,00
Corvid LP	"Low-Profile" version of Corvid, no RS-422	530,00
Corvid 3G	4-lane Pcle card with 3G/HD/SD SDI I/O, Genlock/LTC, 16-embedded audio, RS-422	709,00
Corvid 3G LP	"Low-Profile" version of Corvid 3G, no RS-422	709,00
Corvid Fiber	4-lane Pcle card with 3G/HD/SD Fiber I/O, Genlock/LTC, 16-embedded audio, RS-422	1.065,00
Corvid Fiber LP	"Low-Profile" version of Corvid Fiber, no RS-422	1.065,00

Options

Breakout Boxes for KONA series cards

K3G-BOX	1RU External Breakout Box for KONA 3G	352,00
KLHi-BOX	1RU External Breakout Box for KONA LHi	311,00
KL-BOX-LH	1RU External Breakout Box for KONA LHe, LSe, LH	267,00

Optional Cables for KONA Breakout Boxes and Io Express

KLHiBOX-CBL-5M	Optional 5-Meter tether cable for KLHi-BOX	222,00
KLBOXLH-CBL-5M	Optional 5-Meter tether cable for KL-BOX-LH	222,00
IOX-CBL-5M	Optional 5-Meter tether cable for Io Express	156,00

Rackmount Kits for Io interfaces

IOX-RM	1RU 19" wide rackmount kit for Io Express, up to two units side-by-side	121,00
--------	---	--------

Replacement Interface Adapters for Io Express

IOCARD-X1	1-lane Pcle card to Pcle cable interface adapter	85,00
IOXPRESSCARD	ExpressCard34 Pcle to Pcle cable interface adapter	80,00

Mini-Converters

HD-Series

Hi5	HD/SD SDI to HDMI, includes 1-meter HDMI cable	437,00
Hi5-3D	HD/SD SDI to HDMI 1.4a, 3G-SDI capable, includes 1-meter HDMI cable	441,00
Hi5-3G	HD/SD SDI to HDMI, 3G-SDI capable, includes 1-meter HDMI cable	615,00
Hi5-Fiber	Hi5 with ST Fiber Input (SD/HD/3G SDI protocol on Fiber)	620,00
HA5	HDMI to HD/SD SDI, includes 1-meter HDMI cable	437,00
HDP2	HD/SD SDI to DVI, high-quality scaler, 2-ch. unbalanced audio output	615,00
HD10AVA	A/D, HD/SD, YPbPr to HD/SD SDI, 4-ch. analog XLR audio to embedded	709,00
HD10CEA	D/A, HD/SD, SDI to HD/SD YPbPr/CV, 4-ch. embedded audio to XLR analog	709,00
GEN10	HD/SD Sync Generator, simultaneous Blackburst and Tri-level, outputs assignable	348,00
HD10C2	HD-SDI/SDI to Component Analog	620,00
HD10MD3	HD Downconverter, 10-bit, HD-SDI/SDI to SDI, YPbPr/RGB/NTSC/PAL	887,00
HD10A	HD A/D, 10-bit, HD YPbPr/RGB to HD-SDI for 5V operation only	793,00
HD10A-12V	HD A/D, 10-bit, HD YPbPr/RGB to HD-SDI for 12V operation only	883,00
HD10DA	Dual-Rate HD/SD 1x6 reclocking Distribution Amplifier	441,00
HD5DA	HD/SD SDI Distribution Amplifier/Repeater, 1X4, EQ, 143Mb-1.5Gb	223,00
3GM	3G/1.5G HD/SD SDI (Bi-direct) Multiplexer, SD/HD Audio/Video, 3G to/from 1.5G	883,00
3GDA	1x6 3G HD/SD SDI Reclocking Distribution Amplifier, 120M 3G cable equalization	530,00

<i>FIDO Optical Fiber Series</i>		
FiDO-R	Single-channel Optical Fiber to SD/HD/3G SDI with Dual SD/HD/3G SDI outputs	397,00
FiDO-T	Single-channel SD/HD/3G SDI to Optical Fiber with looping SD/HD/3G SDI output	397,00
FiDO-2R	Dual-channel Optical Fiber to SD/HD/3G SDI	575,00
FiDO-2T	Dual-channel SD/HD/3G SDI to Optical Fiber	575,00
FiDO-TR	SD/HD/3G SDI / Optical Fiber Transceiver	575,00
FiDO-R-ST	Single-channel Optical Fiber (ST connector) to SD/HD/3G SDI with Dual SD/HD/3G SDI outputs	397,00
FiDO-T-ST	Single-channel SD/HD/3G SDI to Optical Fiber (ST connec.) with looping SD/HD/3G SDI output	397,00
FiDO-R-SC	Single-channel Optical Fiber (SC connec.) to SD/HD/3G SDI with Dual SD/HD/3G SDI outputs	397,00
FiDO-T-SC	Single-channel SD/HD/3G SDI to Optical Fiber (SC connec.) with looping SD/HD/3G SDI output	397,00

<i>D-Series</i>		
D10CE	D/A, 10-bit, SDI to Simultaneous Component and Composite Analog	490,00
D10C2	D/A, 10-bit, SDI to Component or Composite Analog	441,00
D10CEA	D/A Audio and Video, 10-bit, SDI to Component or Composite, embedded to analog audio	530,00
D10AD	A/D, 10-bit, Component or Composite Analog to SDI	530,00
D5CE	D/A, SDI to NTSC/PAL (3 outputs), or Y/C, or YPbPr/Beta/RGB	334,00
D4E	D/A, SDI to NTSC/PAL (2 outputs) or Y/C	223,00
D5DA	SDI Distribution Amplifier, 1x4 Reclocking, EQ, Multi-Standard	223,00

<i>Audio</i>		
ADA4	Audio A/D and D/A Converter, 4-ch. Bi-directional, balanced XLR	348,00
HD10AM	HD/SD SDI 8-ch. AES Embedder/Disembedder, balanced XLR	758,00
HD10AMA	HD/SD SDI 4-ch. Analog Audio Embedder/Disembedder, balanced XLR	758,00

<i>Power Supplies *</i>		
DWP	Power Supply, 110V, Wall Plug-in Type, for D- and HD-Series Converters*	36,00
DWP-U	Universal Input Power Supply, 110-220V, for D- and HD-Series Converters*	58,00
DWP-12V	DWP Power Supply, 12 volt (for 12 volt products only)	45,00

<i>Accessories</i>		
RMB	Rack mount bracket for D and HD Series mini converters, incl mounting screws	6,00
RMB-10	10-pack, rack mount bracket for D and HD Series mini converters, incl mounting screws	54,00
PWR-CABLE	Anton Bauer Power Cable (with AJA Mini-Converter Power Plug, for 12-volt products only)	58,00
SV-CABLE	S-Video to Dual BNC Cable, 6-foot	22,00
P-TAP-CBL	18" DC cable, P-Tap connector to AJA D5/10-PC connector	40,00

Rackmount Converters

<i>Stand-alone</i>		
FS1	Universal SD/HD Audio/Video Frame Sync/Converter, 1RU	3.116,00
FS2	Dual Channel Universal 3G/HD/SD Audio/Video Frame Sync/Converter, 1RU	4.453,00

<i>Accessories</i>		
Dolby Encode-R0	Dolby® E Encoder Option for FS2	3.472,00
Dolby Decode-R0	Dolby® E Decoder Option for FS2	2.670,00
FiberLC-2-Rx-R0	Dual LC 3G Fiber Rx SFP	263,00
FiberLC-2-Tx-R0	Dual LC 3G Fiber Tx SFP	263,00
FiberSC-1-Rx-R0	Single SC 3G Fiber Rx SFP	174,00
FiberSC-1-Tx-R0	Single SC 3G Fiber Tx SFP	174,00

<i>Rackmount Cards</i>		
RH10UC	HD Upconverter, 10-bit, SDI to HD-SDI	1.422,00
RH10MD	Downconverter, 10-bit, HD-SDI to SDI and analog component/composite, 1x4 HD-SDI Dist Amp	1.204,00
RD10MD2	Dual Downconverter, 10-bit, HD-SDI to SD-SDI and analog component/composite	1.471,00
R20DA	SDI Distribution Amplifier, 1x8, Reclocking	259,00
R20AD	A/D Converter, 10-bit, YPbPr, RGB, NTSC, PAL, Y/C to SDI	646,00
R20AD-F	R20AD with FSG Frame Sync/Genlock module	860,00
R20CE	D/A Converter, 10-bit, SDI to Simultaneous Component/Composite, YPbPr, RGB, NTSC	793,00
R20CE-F	R20CE with FSG Frame Sync/Genlock module	1.007,00
FSG	FSG Frame Sync/Genlock module for 10-bit R-Series Cards	259,00
R10CE **	1x4 SDI Distribution Amplifier and 10-bit SDI to Component or Composite Analog Converter	620,00
R5CE **	1x4 SDI Distribution Amplifier and 8-bit SDI to Component or Composite Analog Converter	526,00
RD5CE **	Dual Distribution Amplifier, SDI to NTSC/PAL, YPbPr/Beta/RGB	1.070,00
R44E	Four-channel D/A Converter, SDI to NTSC/PAL	883,00
RD20DA	Dual Channel SDI Distribution Amplifier, 1x3 and 1x4, Reclocking	348,00

** denotes non-RoHS compliance and cannot be sold where non-compliant products are prohibited

<i>Rackmount Frames</i>		
FR1	1RU, 4-Slot Frame, 40W, Forced Air Cooling, Single Power Supply	704,00
FR1D	1RU, 4-Slot Frame, 40W, Forced Air Cooling, Dual Power Supplies	798,00
FR2	2RU, 10-Slot Frame, 100W, Forced Air Cooling, Dual Power Supply	1.150,00
FR2D	2RU, 10-Slot Frame, 100W, Forced Air Cooling, Dual Power Supplies	1.328,00

<i>Accessories and Cables</i>		
FR1-PS	FR1 Power Supply Module	134,00
FR2-PS	FR2 Power Supply Module	223,00
PWR-CABLE	Anton Bauer Power Cable (with AJA Mini-Converter Power Plug, for 12-volt products only)	58,00
D5/10-PC	Replacement Power Plug Connector for D4/D5/D10 Converters	4,50
102148-00	Replacement Breakout Cable for HD10AVA	45,00

HD-CABLE-5	Replacement Breakout Cable for HD10C2, 13W3 to 3 x BNC, 5 foot	45,00
101622-01	Replacement Breakout Cable for HD10AM, HD10AMA, ADA4	54,00
D10CEA-CBL	Replacement Breakout Cable for D10CEA	54,00

KUMO Compact SDI Routers

<i>Routers</i>		
KUMO 1616	KUMO 16x16 Compact SDI Router, with 1 power supply	2.670,00
KUMO 1604	KUMO 16x4 Compact SDI Router, with 1 power supply	1.780,00

<i>Accessories</i>		
KUMO PWR	KUMO + 12VDC Power Supply, for redundant operation or spare	85,00
KUMO CP	1RU Hardware Control Panel for KUMO routers	620,00

Acquire Solutions

Ki Pro, 250GB (KI-PRO-RO)	Portable Digital File Recorder, with Apple ProRes 422 includes: 250GB HDD Storage Module, FW800 cable Ki AC Adapter (AC to 4-pin XLR)	3.562,00
---------------------------	--	----------

Ki Pro, without Storage (KI-PRO-ND-R0)	Portable Digital File Recorder, with Apple ProRes 422 includes: Ki AC Adapter (AC to 4-pin XLR), FW800 cable (configure with HDD or SSD Storage Module)	3.383,00
--	--	----------

Ki Pro Mini

Ki Pro Mini (KI-PRO-MINI-R0)	Ultra-Portable Digital CF Recorder, with Apple ProRes 422 includes: Ki AC Adapter (AC to 4-pin XLR) (Records to high-performance CF Cards, not supplied by AJA)	1.780,00
------------------------------	--	----------

Ki Pro Storage

KI-STOR250-0	250GB HDD Storage Module	236,00
KI-STOR500-R0	500GB HDD Storage Module	343,00
KI-SSD120-R0	120GB Solid State Storage Module	620,00
KI-SSD300-R0	300GB Solid State Storage Module	1.244,00

Options and Accessories

KI-EXO-R0	Exoskeleton for Ki PRO with sliding base plate, mount hardware	530,00
KI-RODPLATES-R0	15mm rods mount endplates for Exoskeleton (rods not included)	263,00
KI-IOX-ACADPT-R0	120/240 AC to 12v DC 4-pin XLR power adapter	85,00
KI-MINIPLATE-R0	Universal mounting plate for Ki Pro Mini, one each	67,00
KI-MINISTAND-R0	Desk stand for Ki Pro Mini, incl. right-angle 4-pin XLR cable	67,00
KI-MINIRDNPLT-R0	15mm rod mount plate that attaches to a Mini Mounting Plate	134,00

Cenik velja od 18.12.2011 do izdaje novega.
Cene veljajo fco Ljubljana, skladišče MTD in so brez 20% DDV.
Cene se oblikujejo glede na tečaj USD, zato si v primeru
tečajnih sprememb pridržujemo pravico do popravkov cen brez predhodne najave.